



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/864,417	05/23/2001	David Chesavage	010337	3852

23696 7590 07/23/2007
QUALCOMM INCORPORATED
5775 MOREHOUSE DR.
SAN DIEGO, CA 92121

EXAMINER

MILLER, BRANDON J

ART UNIT	PAPER NUMBER
----------	--------------

2617

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

07/23/2007

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

us-docketing@qualcomm.com
kascanla@qualcomm.com
nanm@qualcomm.com

Office Action Summary	Application No. 09/864,417	Applicant(s) CHESAVAGE ET AL.	
	Examiner Brandon J. Miller	Art Unit 2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 June 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 and 26-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 and 26-28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 August 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input checked="" type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/25/2007 has been entered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-5, 6-8, 14, 18, 20, and 26-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Adachi (US 6,877,037 B1) in view of Forlenza et al. (US 6,553,103 B1).

Regarding claim 1 Adachi teaches a system for maintaining data objects distributed on a network (see col. 1, lines 48-50). Adachi teaches each data object being communicating between a mobile communication transceiver (MCT) and a device (see col. 1, lines 48-50). Adachi teaches a network controller coupled to the network and operable to enable data communications including the transmission of a data object update message and a corresponding data object update version sequence number ("OVSN") after receipt of an update request message from a

Art Unit: 2617

wireless communication device (see col. 1, lines 57-65 and FIG. 1 & FIG. 6). Adachi teaches a data object being capable of different meanings in connection with the receipt of the data object update message (see col. 1, lines 65-67 and col. 2, lines 1-2, updated data and version number relates to data object with different meanings and different values because when the data and version number are updated they have different meanings and values with respect to the previously stored data and version number). Adachi teaches a receiver coupled to the network and operable to enable data communications with the network controller (col. 3, lines 21-24 and FIG. 2). Adachi teaches the receiver including a memory for storing a data object based on the data object update message and the OVSN (see col. 1, lines 65-67, col. 2, lines 1-2 and FIG. 2). Adachi teaches a processor coupled to the memory and operable to include a last received OVSN in the update request message (see col. 1, lines 51-57). Adachi does not specifically teach macros for communication that are representative of a message for communications, the data object update message being capable of changing the meaning of the macro, and referencing a macro number corresponding to an associated macro. Forlenza teaches macros for communication that are representative of a message for communications between a mobile communication transceiver (MCT) and device (see col. 4, lines 45-52 and col. 5, lines 31-34). Forlenza teaches an update message changing the meaning of the macro in connection with communications between the MCT and the device (see col. 5, lines 56-63). Forlenza teaches referencing a macro identifier corresponding to an associated macro (see col. 5, lines 18-21 & 47-50). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include macros for communication that are representative of a message for communications, the data object update message being capable of changing the

Art Unit: 2617

meaning of the macro, and referencing a macro number corresponding to an associated macro because Adachi teaches each data object being communicating between a mobile communication transceiver (MCT) and a device (see Adachi, col. 1, lines 48-50) and macros are well known “templates” used in data communications for reducing the amount of data transmitted over the air.

Regarding claim 2 Adachi teaches a memory for storing the data object based on the data object update message transmitted to the receiver and a corresponding OVSN (see col. 1, lines 57-58 and col. 4, lines 43-44 & 48-52). Adachi does not specifically teach a macro for communication. Forlenza teaches macros for communication (see col. 5, lines 31-34). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include a macro for communication because Adachi teaches each data object being communicating between a mobile communication transceiver (MCT) and a device (see Adachi, col. 1, lines 48-50) and macros are well known “templates” used in data communications for reducing the amount of data transmitted over the air.

Regarding claim 3 Adachi teaches a memory for storing the data object based on the data object update message transmitted to a plurality of receivers that includes the receiver and a corresponding OVSN (see col. 5, lines 59-67). Adachi does not specifically teach a macro for communication. Forlenza teaches macros for communication (see col. 5, lines 31-34). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include a macro for communication because Adachi teaches each data object being communicating between a mobile communication transceiver (MCT) and a device (see

Art Unit: 2617

Adachi, col. 1, lines 48-50) and macros are well known “templates” used in data communications for reducing the amount of data transmitted over the air.

Regarding claim 4 Adachi teaches incrementing the OVSN for each data object update message transmitted to the receiver (see col. 7, lines 25-29).

Regarding claim 5 Adachi and Forlenza teach a device as recited in claim 1 except for wherein the macro for communication represents an encoded message. Forlenza does teach macros for communication (see col. 5, lines 31-34). Forlenza does teach encoding data (see col. 4, lines 17-18). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include wherein the macro for communication represents an encoded message because Adachi teaches each data object being communicating between a mobile communication transceiver (MCT) and a device (see Adachi, col. 1, lines 48-50) and macros are well known “templates” used in data communications for reducing the amount of data transmitted over the air.

Regarding claim 6 Adachi teaches including the latest received OVSN in a message to the network controller (see col. 1, lines 55-57).

Regarding claim 7 Adachi teaches wherein the receiver is a wireless communication device and the network is a wireless network (see col. 3, lines 3-10).

Regarding claim 8 Adachi and Forlenza teach a device as recited in claim 6 except for decoding a message from a receiver, where the message references macros for communication and includes the receiver’s OVSN. Adachi does teach a message that references a data object and includes the receiver’s OVSN (see col. 1, lines 61-64). Forlenza does teach a message that references macros for communication (see col. 5, lines 31-34). Forlenza does teach decoding a

Art Unit: 2617

message from a receiver, where the message references macros for communication (see col. 5, lines 58-61). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the invention adapt to include decoding a message from a receiver, where the message references macros for communication and includes the receiver's OVSN because Adachi teaches each data object being communicating between a mobile communication transceiver (MCT) and a device (see Adachi, col. 1, lines 48-50) and macros are well known "templates" used in data communications for reducing the amount of data transmitted over the air.

Regarding claim 14 Adachi teaches a receiver for communicating data signals using a network (see col. 3, lines 21-24 and FIG. 2). Adachi teaches a transceiver coupled to the network and operable to receive data communications (see col. 3, lines 21-24 and FIG. 2). Adachi teaches a memory coupled to the transceiver for storing data objects and data object message version sequence numbers (OVSN) transmitted from a network controller in a data communication to the receiver (see col. 1, lines 65-67, col. 2, lines 1-2 and FIG.2). Adachi teaches a data object being capable of different meanings and different values in connection with the receipt of the data object update message (see col. 1, lines 65-67 and col. 2, lines 1-2, updated data and version number relates to data object with different meanings and different values because when the data and version number are updated they have different meanings and values with respect to the previously stored data and version number). Adachi teaches a processor coupled to the memory and transceiver and operable to include the last received OVSN in a data request message to the network controller (see col. 1, lines 51-57). Adachi does not specifically teach macros for communication, each macro for communication corresponding to a

Art Unit: 2617

macro number and a receiver being operable to communicate with one or more devices in the network using macro numbers. Forlenza teaches macros for communication, each macro for communication corresponding to a macro number (see col. 5, lines 18-21 & 47-50). Forlenza teaches being operable to communicate with one or more devices in the network using macro identifiers (see col. 5, lines 56-63). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include macros for communication, each macro for communication corresponding to a macro number and a receiver being operable to communicate with one or more devices in the network using macro numbers because Adachi teaches each data object being communicating between a mobile communication transceiver (MCT) and a device (see Adachi, col. 1, lines 48-50) and macros are well known “templates” used in data communications for reducing the amount of data transmitted over the air.

Regarding claim 18 Adachi teaches a method of maintaining a distributed object system using a network (see col. 1, lines 48-50). Adachi teaches receiving a data object message with a data object update version sequence number (OVSN) from a network controller (see col. 1, lines 65-67 and col. 2, lines 1-2). Adachi teaches storing data objects on the data object update message and the OVSN; and transmitting the last received OVSN in a subsequent data update request to a network controller (see col. 1, lines 51-57 and FIG. 2). Adachi does not specifically teach macros for communication that are representative of encoded messages and corresponding to a macro number for transmission over a network. Forlenza teaches macros for communication that are representative of an encoded message for communications (see col. 4, lines 45-52 and col. 5, lines 31-34). Forlenza teaches referencing a macro identifier corresponding to an

Art Unit: 2617

associated macro (see col. 5, lines 18-21 & 47-50). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include macros for communication that are representative of encoded messages and corresponding to a macro number for transmission over a network because Adachi teaches each data object being communicating between a mobile communication transceiver (MCT) and a device (see Adachi, col. 1, lines 48-50) and macros are well known “templates” used in data communications for reducing the amount of data transmitted over the air.

Regarding claim 20 Adachi teaches a method of maintaining a distributed object system using a network (see col. 1, lines 48-50). Adachi teaches receiving a message from a wireless communication device, the message comprising an object version sequence number (OVSN), the OVSN representing a first state of a data object relating to the wireless communication device (see col. 1, lines 51-57). Adachi teaches comparing the OVSN with a local OVSN, the local OVSN representing a second state of the data object (see col. 1, lines 57-61). Adachi teaches transmitting updated data to the wireless communication device if the OVSN is not equal to the local OVSN (see col. 61-67). Adachi does not specifically teach communicating encoded messages using macro numbers and updating data including at least one macro for communications from a MCT using a macro number corresponding to the macro for communication. Forlenza teaches communicating encoded messages using macro identifiers (see col. 5, lines 56-61). Forlenza teaches updating data including at least one macro for communications from a mobile terminal using a macro identifier corresponding to the macro for communication (see col. 5, lines 18-21 & 56-63). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include

Art Unit: 2617

communicating encoded messages using macro numbers and updating data including at least one macro for communications from a MCT using a macro number corresponding to the macro for communication because Adachi teaches each data object being communicating between a mobile communication transceiver (MCT) and a device (see Adachi, col. 1, lines 48-50) and macros are well known “templates” used in data communications for reducing the amount of data transmitted over the air.

Regarding claim 26 Adachi teaches wherein in the updated data object comprises all data objects (see col. 1, lines 48-50)

Regarding claim 27 Adachi teaches comparing the OVSN with the local OVSN is performed at a network controller (see col. 1, lines 59-62).

Regarding claim 28 Adachi teaches a device as recited in claim 27 and is rejected given the same reasoning as given above.

Claims 9-13, 15-17, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Adachi (US 6,877,037 B1) in view Forlenza et al. (US 6,553,103 B1) and Sakakura (US 6,389,423 B1).

Regarding claim 9 Adachi and Forlenza teach a device as recited in claim 4 except for wherein the network controller discards messages from the receiver when the receiver's OVSN is less than the last OVSN sent to the receiver. Sakakura teaches discarding messages from a receiver when a receiver's data object update sequence number is less than a last data object update sequence number (see col. 9, lines 59-64). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the invention adapt to include wherein

Art Unit: 2617

the network controller discards messages from the receiver when the receiver's OVSN is less than the last OVSN sent to the receiver because this would allow for a more efficient method of maintaining and controlling data in a network.

Regarding claim 10 Adachi, Forlenza, and Sakakura teach a device as recited in claim 9 wherein each macro for communication has a data object number version number. Adachi does teach a data object having an object version number (see col. 1, lines 60-63). Forlenza does teach macros for communication (see col. 5, lines 31-34). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the device adapt to include wherein each macro for communication has a data object number version number because Adachi teaches each data object being communicating between a mobile communication transceiver (MCT) and a device (see Adachi, col. 1, lines 48-50) and macros are well known "templates" used in data communications for reducing the amount of data transmitted over the air.

Regarding claim 11 Adachi, Forlenza, and Sakakura teach a device as recited in claim 10 except for the receiver is further operable to transmit the data object version number to represent the version of the encoded message in a message to the network controller. Adachi does teach the receiver is further operable to transmit the data object version number to represent the version of the encoded message in a message to the network controller (see col. 1, lines 51-57). Forlenza does teach encoded data (see col. 4, lines 17-19). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the invention adapt to include the receiver is further operable to transmit the data object version number to represent the version of the encoded message in a message to the network controller

Art Unit: 2617

because this would allow for the transmission of application specific data using manipulated data.

Regarding claim 12 Adachi, Forlenza, and Sakakura teach a device as recited in claim 11 except for decoding the encoded message based on the data object version number received from the receiver. Forlenza does teach decoding an encoded message based on info from a receiver (see col. 5, lines 56-60). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the invention adapt to include decoding the encoded message based on the data object version number received from the receiver because this would allow for the transmission of application specific data using manipulated data.

Regarding claim 13 Adachi teaches sending data object update messages and corresponding data object update sequence number to the receiver based on an update sequence number included in a message from a receiver (see col. 1, lines 59-65).

Regarding claim 15 Adachi and Forlenza teach a device as recited in claim 14 except for including the largest received OVSN in a message to the network controller. Sakakura teaches including a large received object version sequence number in a message to a network controller (see col. 9, lines 39-44 and col. 14, lines 48-50). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the invention adapt to include including the largest received OVSN in a message to the network controller because this would allow for a more efficient method of maintaining and controlling data in a network.

Regarding claim 16 Adachi, Forlenza, and Sakakura teach a device as recited in claim 11 and is rejected given the same reasoning as above.

Regarding claim 17 Adachi, Forlenza, and Sakakura teach a device as recited in claim 16

Art Unit: 2617

except for using the data object to use the data object number in a message to the network controller to identify a version of the encoded messages. Sakakura does teach using a data object number in a message to a network controller to identify a version of date message (see abstract and col. 8, lines 40-48). Forlenza does teach decoding an encoded message (see col. 4, lines 17-19). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the invention adapt to include using the data object to use the data object number in a message to the network controller to identify a version of the encoded messages because this would allow for the transmission of application specific data using manipulated data.

Regarding claim 19 Adachi, Forlenza, and Sakakura teaches a device as recited in claim 11 and is rejected given the same reasoning as above.

Response to Arguments

Applicant's arguments with respect to claims 1-20 and 26-28 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Uota Pub. No.: US 2001/0029603 A1 discloses a system development method, functional unit development method, development-support system and storage medium storing program of same.


Art Unit: 2617

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brandon J. Miller whose telephone number is 571-272-7869.

The examiner can normally be reached on Mon.-Fri. 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, George Eng can be reached on 571-272-7495. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



July 11, 2007



GEORGE ENG
SUPERVISORY PATENT EXAMINER